Author Index

ACKERMANS F., PINI A., WACHSMANN D., SCHÖLLER M., OGIER J. & KLEIN J.-P. Anti-IgG antibodies in rheumatic diseases cross-react with *Streptococcus mutans* SR antigen, 265
AGHAI E. *see* LAHAT N.
AHLSTEDT L.A. HANSON & S. *see* SAALMAN R.
AIUTI F. *see* QUINTI I.
ALBINI B. *see* NADAL D.
ALEXANDER J. *see* DOREA R.C.C.
ALLEN A. *see* TODD A.
ALLISON M.C. & POULTER L.W. Changes in phenotypically distinct mucosal macrophage populations may be a prerequisite for the development of inflammatory bowel disease, 504
AMAGAI T. *see* YOSHIMURA N.
ANDERSEN K.E. *see* VAN HOOGSTRATEN I.M.W.
ANDREWS F.J., HALLIDAY G.M. & MULLER H.K. A role for prostaglandins in the suppression of cutaneous cellular immunity and tumour development in benzo(a)pyrene- but not dimethylbenz(a)anthracene-treated mice, 9
ARNAIZ-VILLENA A. *see* PEREZ-BLAS M.
ATKINS R.C. *see* KAKIZAKI Y.
AYABE T. *see* SUZUKI H.

BAGULEY E. *see* D'CRUZ D.P.
BAILLY S., FAY M., FERRUA B. & GOUGEROT-POCIDALO M.A. Ciprofloxacin treatment *in vivo* increases the *ex vivo* capacity of lipopolysaccharide-stimulated human monocytes to produce IL-1, IL-6 and tumour necrosis factor-alpha, 331
BARKER R.N., GRUFFYD-JONES T.J., STOKES C.R. & ELSON C.J. Identification of autoantigens in canine autoimmune haemolytic anaemia, 33
BAXTER A.G. & MANDEL T.E. Accelerated diabetes in non-obese diabetic (NOD) mice differing in incidence of spontaneous disease, 464
BECKER H., POTYKA P., WEBER C. & FEDERLIN K. Detection of circulating FcεR2/CD23$^+$ monocytes in patients with rheumatic diseases, 61
BENTWICH Z. *see* SCHATTNER A.
BERNATOWSKA-MATUSZKIEWICZ E., PAC M., SKOPCYNSKA H., PUM M. & EIBL M.M. Clinical efficacy of intravenous immunoglobulin in patients with severe inflammatory chest disease and IgG3 subclass deficiency, 193
BERNSTEIN R.M. *see* KAY R.A.
BHARDWAJ N. *see* PANCHOLI P.
BJORKHOLM M. *see* TULLGREN O.
BOBBAERS H. *see* DELABIE J.
BODEN D. *see* VAN HOOGSTRATEN I.M.W.
BOGERS W.M.J.M., STAD R.K., JANSSEN D.J., PRINS F.A., VAN ROOIJEN N., VAN ES L.A. & DAHA M.R. Kupffer cell depletion *in vivo* results in clearance of large-sized IgA aggregates in rats by liver endothelial cells, 128
BOYLSTON A.W. *see* KAY R.A.
BROOKS P.M. *see* DANIS V.A.
BRUYNZEEL D.P. *see* VAN HOOGSTRATEN I.M.W.
BÜRGISSER P. & FREI P.C. Characterization of antibodies reacting with HIV *gag* proteins occasionally found in the serum of non-infected subjects, 219
BURROWS D. *see* VAN HOOGSTRATEN I.M.W.
BYRON K.A., VARIGOS G.A. & WOOTTON A.M. Recombinant interferon-gamma inhibits the expression of IL-4 receptors on human lymphocytes, 307

CAMARASA J.G. *see* VAN HOOGSTRATEN I.M.W.
CARLSSON B. *see* SAALMAN R.
CASHMAN S.J. *see* REYNOLDS J.
CASSONE A. *see* QUINTI I.
CAVALLO T. *see* GRANHOLM N.A.
CHATURVEDI U.C. *see* SHARMA S.
CHEN C. *see* NADAL D.
COAN R.M. *see* TODD A.
COOPER R.C. *see* KHALILI A.
COSTANTINIDES Y., KINGSLEY G., PITZALIS C. & PANAYI G.S. Inhibition of lymphocyte proliferation by a monoclonal antibody (RFT2) against CD7, 164

DAHA M.R. *see* BOGERS W.M.J.M.
DALTON H.R. *see* HOANG P.
DANIS V.A., FRANIC G.M., RATHJEN D.A. & BROOKS P.M. Effects of granulocyte-macrophage colony-stimulating factor (GM-CSF), IL-2, interferon-gamma (IFN-γ), tumour necrosis factor-alpha (TNF-α) and IL-6 on the production of immunoreactive IL-1 and TNF-α by human monocytes, 143
DAVIES D.R. *see* D'CRUZ D.P.
D'CRUZ D.P., HOUSSIAU F.A., RAMIREZ G., BAGULEY E., MCCUTCHEON J., VIANNA J., HAGA H.-J., SWANA G.T., KHAMASHTA M.A., TAYLOR J.C., DAVIES D.R. & HUGHES G.R.V. Antibodies to endothelial cells in systemic lupus erythematosus: a potential marker for nephritis and vasculitis, 254
DEGUCHI Y. & KISHIMOTO S. Tumour necrosis factor/cachectin plays a key role in autoimmune pulmonary inflammation in lupus-prone mice, 392
DELABIE J., DE WOLF-PEETERS C., BOBBAERS H. & DESMET G. BILBE & V.J. Immunophenotypic analysis of histiocytes involved in AIDS-associated *Mycobacterium scrofulaceum* infection: similarities with lepromatous lepra, 214
DENNETT C. *see* KAY R.A.
DESMET G. BILBE & V.J. *see* DELABIE J.
DE WOLF-PEETERS C. *see* DELABIE J.
DIGHIERO G. *see* VUILLIER F.
DOINEL C. *see* MANSOUR I.
DOOMS-GOOSSENS A. *see* VAN HOOGSTRATEN I.M.W.
DOREA R.C.C., ALEXANDER J. & GALLAGHER G. New Zealand black mice are immunologically resistant to high-dose, but not low-dose *Leishmania mexicana* infection, 231
DOZIO N., SODOYEZ-GOFFAUX F., KOCH M., ZIEGLER B. & SODOYEZ J.C. Polymorphism of insulin antibodies in six patients with insulin-immune hypoglycaemic syndrome, 282
DUNCAN J.I., HORROCKS C., ORMEROD A.D., POWLES A.V., WHITING P.H., FRY L. & THOMSON A.W. Soluble Il-2 receptor and CD25 cells in psoriasis: effects of cyclosporin A and PUVA therapy, 293
DYER P.A. *see* KAY R.A.

EAVES C.J. *see* SCHMITT C.
EIBL M.M. *see* BERNATOWSKA-MATUSZKIEWICZ E.
EIBL M.M. *see* ZERLAUTH G.
ELITSUR Y. & LUK G.D. Beta-casomorphin (BCM) and human colonic lamina propria lymphocyte proliferation, 493
ELSON C.J. *see* BARKER R.N.
ESTREICHER J. *see* MADI N.
EVANS D.J. *see* REYNOLDS J.

FALLSTROM S.P. *see* SAALMAN R.
FARRANT J. *see* NORTH M.E.
FAY M. *see* BAILLY S.
FEDERLIN K. *see* BECKER H.
FEIZI T. *see* LARKIN M.
FERRUA B. *see* BAILLY S.
FRANIC G.M. *see* DANIS V.A.
FREI P.C. *see* BÜRGISSER P.
FREW A.J. & KAY A.B. Failure to detect deposition of complement and immunoglobulin in allergen-induced late-phase skin reaction in atopic subjects, 70
FRITZELL C. *see* HERZOG M.

FROOM M. QUITT & P. *see* LAHAT N.
FRY L. *see* DUNCAN J.I.

GALLACHER G. *see* MCCULLOCH P.
GALLAGHER G. *see* DOREA R.C.C.
GASKIN G. *see* SAVAGE C.O.S.
GISCOMBE R. *see* TULLGREN O.
GOBIN S.J.P. & PHILLIPS J.A. Immmunosuppressive effects of 2-acetyl-4-tetrahydroxybutyl imidazole (THI) in the rat, 335
GOLDENBERG D.M. *see* STEIN R.
GOMEZ M.J. *see* QUINTI I.
GONGORA R. *see* PEREZ-BLAS M.
GORDON T.P., GREER M., REYNOLDS P. & MCNEILAGE A. GUIDOLIN & L.J. Estimation of amounts of anti-La(SS-B) antibody directed against immunodominant epitopes of the La(SS-B) autoantigen, 402
GOTOH S. *see* YOSHIMURA S.
GOUGEROT-POCIDALO M.A. *see* BAILLY S.
GRANHOLM N.A. & CAVALLO T. Bacterial lipopolysaccharide enhances deposition of immune complexes and exacerbates nephritis in BXSB lupus-prone mice, 270
GREEN L.M. *see* KAY R.A.
GREER M. *see* GORDON T.P.
GRUFFYD-JONES T.J. *see* BARKER R.N.
GUERRA E.C. *see* QUINTI I.

HA T.-Y. *see* LEE H.-K.
HACKSTADT T. *see* IZZO A.A.
HAGA H.-J. *see* D'CRUZ D.P.
HAGAFUCHI H. *see* SAKANE T.
HALLIDAY G.M. *see* ANDREWS F.J.
HAMACHI M. *see* YU D.T.Y.
HAMACHI T. *see* YU D.T.Y.
HANDZEL Z. *see* SCHATTNER A.
HANUKA N. *see* SCHATTNER A.
HANZAWA Y. *see* TSUJIKSAKI M.
HASHIMOTO H. *see* MITAMURA K.
HASHIMOTO N. *see* IKEDA Y.
HAY E.M. *see* KAY R.A.
HENDRIKS R.W. & SCHUURMAN R.K.B. Genetics of human X-linked immunodeficiency diseases, 182
HERZOG M., FRITZELL C., LAFAGE M., HIROSE J.A. MONTAÑO, SCOTT-ALGARA D. & LAFON M. T and B cell human responses to European bat lyssavirus after post-exposure rabies vaccination, 224
HINODA Y. *see* TSUJIKSAKI M.
HIRATA H. *see* TSUJIKSAKI M.
HIROSE J.A. MONTAÑO *see* HERZOG M.
HOANG P., DALTON H.R. & JEWELL D.P. Human colonic intra-epithelial lymphocytes are suppressor cells, 498
HOLM G. *see* TULLGREN O.
HOLMDAHL R. *see* MATTSSON R.
HOLT P.J.L. *see* KAY R.A.
HONTEBEYRIE-JOSKOWICZ M. *see* LEVITUS G.
HORIE T. *see* MITAMURA K.
HORII Y. *see* YOSHIMURA N.
HORROCKS C. *see* DUNCAN J.I.
HOSOYA T. *see* KOHNO Y.
HOUSSIAU F.A. *see* D'CRUZ D.P.
HUGHES G.R.V. *see* D'CRUZ D.P.

IKEDA Y., TODA G., HASHIMOTO N., UMEDA N., MIYAKE K., YAMANAKA M. & KUROKOWA K. Naturally occurring anti-interferon-α2a antibodies in patients with acute viral hepatitis, 80
ILONEN J., SURCEL H.M. & KÄÄR M.-L. Abnormalities within CD4 and CD8 T lymphocyte subsets in type 1 (insulin-dependent) diabetes, 278
IMAI K. *see* TSUJIKSAKI M.
IMANISHI J. *see* YOSHIMURA N.
INATSUKI A. *see* MATSUMOTO M.
ISAACSON P.G. *see* SPENCER J.
ISHIOKA C. *see* KIMATA H.
IZZO A.A., MARMION B.P. & HACKSTADT T. Analysis of the cells involved in the lymphoproliferative response to *Coxiella burnetii* antigens, 98

JAHN S. *see* WINKLER T.H.
JANSSEN D.J. *see* BOGERS W.M.J.M.
JEFFERIS R. *see* SHOKRI F.
JEWELL D.P. *see* HOANG P.
JOHANSSON B. *see* TULLGREN O.
JOKA T. *see* KRÜGER C.
JONES B.M. *see* LAU Y.L.
JONES M. *see* PULFORD K.

KÄÄR M.-L. *see* ILONEN J.
KAKIZAKI Y., KRAFT N. & ATKINS R.C. Differential control of mesangial cell proliferation by interferon-gamma, 157
KALDEN J.R. *see* WINKLER T.H.
KAMADA N. *see* YOSHIMURA S.
KAMIMURA J. *see* SUZUKI H.
KANG H. *see* MITAMURA K.
KASHIWAGI H. *see* SUZUKI H.
KATSIKIS P. *see* SHOKRI F.
KAWABE T. *see* MATSUMOTO T.
KAWARADA Y. *see* TERADA K.
KAY A.B. *see* FREW A.J.
KAY R.A., HAY E.M., DYER P.A., DENNETT C., GREEN L.M., BERNSTEIN R.M., HOLT P.J.L., PUMPHREY R.S.H., BOYLSTON A.W. & OLLIER W.E. R. An abnormal T cell repertoire in hypergammaglobulinaemic primary Sjögren's syndrome, 262
KHALILI A. & COOPER R.C. A study of immune responses to myelin and cardiolipin in patients with systemic lupus erythamatosus (SLE), 365
KHAMASHTA M.A. *see* D'CRUZ D.P.
KIMATA H., YOSHIDA A., ISHIOKA C., MASUDA S. & MIKAWA R. SASAKI & H. Human recombinant erythropoietin directly stimulates B cell immunoglobulin production and proliferation in serum-free medium, 151
KINARTY A. *see* LAHAT N.
KINGSLEY G. *see* COSTANTINIDES Y.
KISHIMOTO S. *see* DEGUCHI Y.
KITAS G.D. *see* SHOKRI F.
KLEIN J.-P. *see* ACKERMANS F.
KNAPP W. *see* LARKIN M.
KNÖLLER J. *see* KRÜGER C.
KOBAYASHI M. *see* KOYAMA A.
KOBAYASHI Y. *see* MATSUMOTO M.
KOCH M. *see* DOZIO N.
KOHNO Y., YAMAGUCHI F., SAITO K., NIIMI H., NISHIKAWA T. & HOSOYA T. Anti-thyroid peroxidase antibodies in sera from healthy subjects and from patients with chronic thyroiditis: differences in the ability to inhibit thyroid peroxidase activities, 459
KÖLLER M. *see* KRÜGER C.
KÖNIG W. *see* KRÜGER C.
KOOPMAN W.J. *see* TARKOWSKI A.
KOYAMA A., KOBAYASHI M., SUZUKI S., SUZUKI M., YAMAGUCHI N. & NARITA M. Detection of DNA-bound immunoglobulins in patients with lupus nephritis, using monoclonal anti-DNA antibody, 246
KRAAL G. *see* VAN HOOGSTRATEN I.M.W.
KRAFT N. *see* KAKIZAKI Y.
KRÜGER C., SCHÜTT C., OBERTACKE U., JOKA T., MÜLLER F.E., KNÖLLER J., KÖLLER M., KÖNIG W. & SCHÖNFELD W. Serum CD14 levels in polytraumatized and severely burned patients, 297
KULSHRESHTHA R. *see* SHARMA S.
KUMAR R. *see* SHARMA S.
KUROKOWA K. *see* IKEDA Y.

LAFAGE M. *see* HERZOG M.
LAFON M. *see* HERZOG M.
LAHAT N., AGHAI E., MAROUN B., KINARTY A. & FROOM M. QUITT & P. Increased spontaneous secretion of IL-6 from B cells of patients with B chronic lymphatic leukaemia (B-CLL) and autoimmunity, 302
LAHTI A. *see* VAN HOOGSTRATEN I.M.W.
LAI K.N. & LOCKWOOD C.M. The effect of anti-neutrophil cytoplasm autoantibodies on the signal transduction in human neutrophils, 396
LAI K.N., LEUNG J.C.K., LI P.K.T. & LUI S.F. Cytokine production by peripheral blood mononuclear cells in IgA nephropathy, 240
LANSDORP P.M. *see* SCHMITT C.
LARKIN M., KNAPP W., STOLL M.S., MEHMET H. & FEIZI T. Monoclonal antibodies VIB-E3, IB5 and HB9 to the leukocyte/epithelial antigen CD24 resemble BA-1 in recognizing sialic acid-dependent epitope(s).

Evidence that VIB-E3 recognizes NeuAcα2-6GalNAc and NeuAcα2-6Gal sequences, 536
LAU Y.L., LOW L.C.K., JONES B.M. & LAWTON J.W.M. Defective neutrophil and lymphocyte function in leucocyte adhesion deficiency, 202
LAW S.K.A. Antigen shedding and metastasis of tumour cells, 1
LAWTON J.W.M. *see* LAU Y.L.
LEE H.-H. *see* LEE H.-K.
LEE H.-K., LEE H.-H., PARK Y.-M., LEE J.-H. & HA T.-Y. Regulation of human B cell proliferation and differentiation by seminal plasma, 174
LEE J.-H. *see* LEE H.-K.
LELAND P. *see* PURI R.K.
LEUNG J.C.K. *see* LAI K.N.
LEVIN M.J. *see* LEVITUS G.
LEVITUS G., HONTEBEYRIE-JOSKOWICZ M., VAN REGENMORTEL M.H.V. & LEVIN M.J. Humoral autoimmune response to ribosomal P proteins in chronic Cahgas heart disease, 413
LI P.K.T. *see* LAI K.N.
LOCKWOOD C.M. *see* LAI K.N.
LOCKWOOD C.M. *see* SAVAGE C.O.S.
LOW L.C.K. *see* LAU Y.L.
LUI S.F. *see* LAI K.N.
LUK G.D. *see* ELITSUR Y.

MACDONALD T.T. *see* SPENCER J.
MADI N., STEIGER G., ESTREICHER J. & SCHIFFERLI J.A. Immune adherence and clearance of hepatitis B surface Ag/Ab complexes is abnormal in patients with systemic lupus erythamatosus (SLE), 373
MAGEED R.A.K. *see* SHOKRI F.
MANDEL T.E. *see* BAXTER A.G.
MANNHALTER J.W. *see* ZERLAUTH G.
MANSOUR I., DOINEL C. & ROUGER P. Dichotomy of two $CD8^+$ lymphocyte subsets in HIV infection. Depletion of $CD8^+CD3^-$ and expansion of $CD8^+CD3^+$ subsets: consequence on the CD4/CD8 ratio, 481
MARIANAYAGAM L. & POULTER L.W. Corticosteroid can alter antigen expression on alveolar macrophages, 531
MARMION B.P. *see* IZZO A.A.
MAROUN B. *see* LAHAT N.
MASON D.Y. *see* PULFORD K.
MASUDA S. *see* KIMATA H.
MASUYA J. *see* TSUJIKSAKI M.
MATHUR A. *see* SHARMA S.
MATSUI M. *see* TSUJIKSAKI M.
MATSUMOTO M., YASUKAWA M., INATSUKI A. & KOBAYASHI Y. Human double-negative ($CD4^-CD8^-$) T cells bearing $\alpha\beta$ T cell receptor possess both helper and cytotoxic activities, 525
MATSUMOTO T., MIIKE T., YAMAGUCHI K., MURAKAMI M., KAWABE T. & YODOI J. Serum levels of soluble IL-2 receptor, IL-4 and IgE-binding factors in childhood allergic diseases, 288
MATTSSON A. *see* MATTSSON R.
MATTSSON R., MATTSSON A., HOLMDAHL R., WHYTE A. & ROOK G.A.W. Maintained pregnancy levels of oestrogen afford complete protection from post-partum exacerbation of collagen-induced arthritis, 41
MCCULLOCH P., GALLACHER G., WALSH L.P. & XIE Y. ZALOOM & J. Lymphokine-activated killer (LAK) cells modulate the effects of IL-2 on a T cell-mediated immune response, 519
MCCUTCHEON J. *see* D'CRUZ D.P.
MCNEILAGE A. GUIDOLIN & L.J. *see* GORDON T.P.
MEHMET H. *see* LARKIN M.
MELLSTEDT H. *see* TULLGREN O.
MENNE T. *see* VAN HOOGSTRATEN I.M.W.
MESTECKY J.J. HAAIJMAN & J. *see* TARKOWSKI A.
MEZZAROMA I. *see* QUINTI I.
MICKLEM K. *see* PULFORD K.
MIIKE T. *see* MATSUMOTO T.
MIKAWA R. SASAKI & H. *see* KIMATA H.
MIKI T. *see* SAKANE T.
MITAMURA K., KANG H., TOMITA Y., HASHIMOTO H., SAWADA S. & HORIE T. Impaired tumour necrosis factor-α (TNF-α) production and abnormal B cell response to TNF-α in patients with systemic lupus erythematosus (SLE), 386
MIYAKE K. *see* IKEDA Y.
MOLDOVEANU Z. *see* TARKOWSKI A.
MOUTSOPOULOS H.M. *see* SHOKRI F.
MÜLLER F.E. *see* KRÜGER C.
MULLER H.K. *see* ANDREWS F.J.
MURAKAMI M. *see* MATSUMOTO T.
MURAKAWA Y. *see* SAKANE T.

NADAL D., ALBINI B., SCHLAPFER E., CHEN C. & OGRA L. BRODSKY & P.L. Tissue distribution of mucosal antibody-producing cells specific for respiratory syncytial virus in severe combined immune deficiency (SCID) mice engrafted with human tonsils, 358
NAKANO T. *see* TSUJIKSAKI M.
NARITA M. *see* KOYAMA A.
NIIMI H. *see* KOHNO Y.
NISHIKAWA T. *see* KOHNO Y.
NORTH M.E., WEBSTER A.D.B. & FARRANT J. Defects in proliferative responses of T cells from patients with common variable immunodeficiency on direct activation of protein kinase C, 198

OBERTACKE U. *see* KRÜGER C.
OGIER J. *see* ACKERMANS F.
OGRA L. BRODSKY & P.L. *see* NADAL D.
OKA T. *see* YOSHIMURA N.
OKUHARA E. *see* TERADA K.
OLLIER W.E.R. *see* KAY R.A.
ORMEROD A.D. *see* DUNCAN J.I.
OVADIA J. *see* STEIN R.

PAC M. *see* BERNATOWSKA-MATUSZKIEWICZ E.
PADOVA F. DI, POZZI C., TONDRE M.J. & TRIAPEPE R. Selective and early increase of IL-1 inhibitors, IL-6 and cortisol after elective surgery, 137
PALMA C. *see* QUINTI I.
PANAYI G.S. *see* COSTANTINIDES Y.
PANCHOLI P., STEINMAN R.M. & BHARDWAJ N. An approach to isolating T cell lines that react to antigens presented on the surface of dendritic cells, 349
PARK Y.-M. *see* LEE H.-K.
PEARSON J.D. *see* SAVAGE C.O.S.
PENNINGTON T.H. *see* WRIGHTHAM M.
PEREZ-BLAS M., ARNAIZ-VILLENA A., GONGORA R., SEGURADO O.G., VIVANCO J.L. & REGUEIRO J.R. Impaired T cell signal transduction through CD28 in a patient with idiopathic thrombocytopenia, 424
PETERS G.B. MILLS & W.J. *see* TEODORCZYK-INJEYAN J.A.
PHILLIPS J.A. *see* GOBIN S.J.P.
PIALOUX G. *see* VUILLIER F.
PINI A. *see* ACKERMANS F.
PITZALIS C. *see* COSTANTINIDES Y.
POTTINGER B.E. *see* SAVAGE C.O.S.
POTYKA P. *see* BECKER H.
POULTER L.W. *see* ALLISON M.C.
POULTER L.W. *see* MARIANAYAGAM L.
POWLES A.V. *see* DUNCAN J.I.
POZZI C. *see* PADOVA F. DI
PRAKASH V. *see* SHARMA S.
PRINS F.A. *see* BOGERS W.M.J.M.
PULFORD K., MICKLEM K., THOMAS J., JONES M. & MASON D.Y. A 72-kD cell-associated surface glycoprotein expressed at high levels in hairy cell leukaemia and plasma cell neoplasms, 429
PUM M. *see* BERNATOWSKA-MATUSZKIEWICZ E.
PUMPHREY R.S.H. *see* KAY R.A.
PURI R.K. & LELAND P. *In vivo* treatment with interferon causes augmentation of IL-2 induced lymphokine-activated killer cells in the organs of mice, 317
PUSEY C.D. *see* REYNOLDS J.
PUSEY C.D. *see* SAVAGE C.O.S.

QUINTI I., PALMA C., GUERRA E.C., GOMEZ M.J., MEZZAROMA I., AIUTI F. & CASSONE A. Proliferative and cytotoxic responses to mannoproteins of Candida albicans by peripheral blood lymphocytes of HIV-infected subjects, 485

RADL J. *see* TARKOWSKI A.
RAHMAN J. & STAINES N.A. Contribution of the spleen, lymph nodes and bone marrow to the antibody response in collagen-induced arthritis in the rat, 48

RAMIREZ G. *see* D'CRUZ D.P.
RATHJEN D.A. *see* DANIS V.A.
REGUEIRO J.R. *see* PEREZ-BLAS M.
REYNOLDS J., CASHMAN S.J., EVANS D.J. & PUSEY C.D. Cyclosporin A in the prevention and treatment of experimental autoimmune glomerulonephritis in the brown Norway rat, 28
REYNOLDS P. *see* GORDON T.P.
ROOK G.A.W. *see* MATTSSON R.
ROUGER P. *see* MANSOUR I.
RYCROFT R.J.G. *see* VAN HOOGSTRATEN I.M.W.

SAALMAN R., CARLSSON B., FALLSTROM S.P. & AHLSTEDT L.A. HANSON & S. Antibody-dependent cell-mediated cytotoxicity to β-lactoglobulin-coated cells with sera from children with intolerance of cow's milk, 446
SAITO K. *see* KOHNO Y.
SAKANE T., MURAKAWA Y., TAKENO M., SHIGEKI T., HAGAFUCHI H. & MIKI T. T cell interaction in active rheumatoid arthritis: insights from the human autologous mixed lymphocyte reaction as a model of T cell activation cascade, 55
SAROV B. *see* SCHATTNER A.
SAROV I. *see* SCHATTNER A.
SAVAGE C.O.S., POTTINGER B.E., GASKIN G., LOCKWOOD C.M., PUSEY C.D. & PEARSON J.D. Vascular damage in Wegener's granulomatosis and microscopic polyarteritis: presence of anti-endothelial cell antibodies and their relation to anti-neutrophil cytoplasm antibodies14
SAVIGE J.A. The gene corresponding to the putative Goodpasture antigen is present in Alport's syndrome, 236
SAWADA S. *see* MITAMURA K.
SCHATTNER A., HANUKA N., SAROV B., SAROV I., HANDZEL Z. & BENTWICH Z. Sequential serological studies of homosexual men with and without HIV infection. Epstein–Barr virus activation preceding and following HIV seroconversion, 209
SCHEPER R.J. *see* VAN HOOGSTRATEN I.M.W.
SCHIFFERLI J.A. *see* MADI N.
SCHIMPF A. *see* WRIGHTHAM M.
SCHLAPFER E. *see* NADAL D.
SCHMITT C., EAVES C.J. & LANSDORP P.M. Expression of CD34 on human B cell precursors, 168
SCHÖLLER M. *see* ACKERMANS F.
SCHÖNFELD W. *see* KRÜGER C.
SCHÜTT C. *see* KRÜGER C.
SCHUURMAN R.K.B. *see* HENDRIKS R.W.
SCHWARTZ M.M. *see* SINGH A.K.
SCOTT-ALGARA D. *see* HERZOG M.
SCOTT-ALGARA D. *see* VUILLIER F.
SEGURADO O.G. *see* PEREZ-BLAS M.
SEWELL H.F. *see* WRIGHTHAM M.
SHARMA S., MATHUR A., PRAKASH V., KULSHRESHTHA R., KUMAR R. & CHATURVEDI U.C. Japanese encephalitis virus latency in perhiperal blood lymphocytes and recurrence of infection in children, 85
SHAW S. *see* VAN HOOGSTRATEN I.M.W.
SHIGEKI T. *see* SAKANE T.
SHINOMIYA T. *see* SUMIMOTO R.
SHOKRI F., MAGEED R.A.K., KITAS G.D., KATSIKIS P., MOUTSOPOULOS H.M. & JEFFERIS R. Quantification of cross-reactive idiotype-positive rheumatoid factor produced in autoimmune rheumatic diseases. An indicator of clonality and B cell proliferative mechanisms, 20
SINGH A.K. & SCHWARTZ M.M. Circulatory antigen of Heymann nephritis. III. Presence of the 70-kD circulatory protein in the immune deposits of Heymann nephritis, 469
SKOPCYNSKA H. *see* BERNATOWSKA-MATUSZKIEWICZ E.
SODOYEZ J.C. *see* DOZIO N.
SODOYEZ-GOFFAUX F. *see* DOZIO N.
SPARKES B.G. *see* TEODORCZYK-INJEYAN J.A.
SPENCER J., ISAACSON P.G., MACDONALD T.T., THOMAS A.J. & WALKER-SMITH J.A. Gamma/delta T cells and the diagnosis of coeliac disease, 109
SPRY C.J.F. *see* TAI P.-C.
STAD R.K. *see* BOGERS W.M.J.M.
STAINES N.A. *see* RAHMAN J.
STEIGER G. *see* MADI N.
STEIN R., WITZ I.P., OVADIA J., GOLDENBERG D.M. & YRON I. CD5+ B cells and naturally occurring autoantibodies in cancer patients, 418
STEINMAN R.M. *see* PANCHOLI P.
STOKES C.R. *see* BARKER R.N.
STOLL M.S. *see* LARKIN M.
SUGIYAMA T. *see* TSUJIKSAKI M.
SUMIMOTO R. & SHINOMIYA T. Examination of serum class I antigen in liver-transplanted rats, 114
SUN L. *see* TAI P.-C.
SURCEL H.M. *see* ILONEN J.
SUZUKI H., AYABE T., KAMIMURA J. & KASHIWAGI H. Anti-IL-1α autoantibodies in patients with rheumatic diseases and in healthy subjects, 407
SUZUKI M. *see* KOYAMA A.
SUZUKI S. *see* KOYAMA A.
SWANA G.T. *see* D'CRUZ D.P.

TAI P.-C., SUN L. & SPRY C.J.F. Effects of IL-5, granulocyte/macrophage colony-stimulating factor (GM-CSF) and IL-3 on the survival of human blood eosinophils *in vitro*, 312
TAKENO M. *see* SAKANE T.
TARKOWSKI A., MOLDOVEANU Z., KOOPMAN W.J., RADL J. & MESTECKY J.J. HAAIJMAN & J. Cellular origins of human polymeric and monomeric IgA: enumeration of single cells secreting polymeric IgA1 and IgA2 in peripheral blood, bone marrow, spleen, gingiva and synovial tissue, 341
TAYLOR J.C. *see* D'CRUZ D.P.
TEODORCZYK-INJEYAN J.A., SPARKES B.G. & PETERS G.B. MILLS & W.J. Immunosuppression follows systemic T lymphocyte activation in the burn patient, 515
TERADA K., OKUHARA E. & KAWARADA Y. Antigen DNA isolated from immune complexes in plasma of patients with systemic lupus erythematosus hybridizes with the *Escherichia coli* lac Z gene, 66
THOMAS A.J. *see* SPENCER J.
THOMAS J. *see* PULFORD K.
THOMSON A.W. *see* DUNCAN J.I.
TODA G. *see* IKEDA Y.
TODD A., COAN R.M. & ALLEN A. Pigeon breeders lung: pigeon intestinal mucin, an antigen distinct from pigeon IgA, 453
TODD D. *see* VAN HOOGSTRATEN I.M.W.
TOMITA Y. *see* MITAMURA K.
TONDRE M.J. *see* PADOVA F. DI
TORTEVOYE P. *see* VUILLIER F.
TRIAPEPE R. *see* PADOVA F. DI
TRIBBICK G. *see* YU D.T.Y.
TSUJIKSAKI M., IMAI K., HIRATA H., HANZAWA Y., MASUYA J., NAKANO T., SUGIYAMA T., MATSUI M., HINODA Y. & YACHI A. Detection of circulating intercellular adhesion molecule-1 antigen in malignant diseases, 3
TULLGREN O., GISCOMBE R., HOLM G., JOHANSSON B., MELLSTEDT H. & BJORKHOLM M. Increased luminol-enhanced chemiluminescence of blood monocytes and granulocytes in Hodgkin's disease, 436

UMEDA N. *see* IKEDA Y.

VAN ES L.A. *see* BOGERS W.M.J.M.
VAN HOOGSTRATEN I.M.W., ANDERSEN K.E., VON BLOMBERG B.M.E., BODEN D., BRUYNZEEL D.P., BURROWS D., CAMARASA J.G., DOOMS-GOOSSENS A., KRAAL G., LAHTI A., MENNE T., RYCROFT R.J.G., SHAW S., TODD D., VREEBURG K.J.J., WILKINSON J.D. & SCHEPER R.J. Reduced frequency of nickel allergy upon oral nickel contact at an early age, 441
VAN REGENMORTEL M.H.V. *see* LEVITUS G.
VAN ROOIJEN N. *see* BOGERS W.M.J.M.
VARIGOS G.A. *see* BYRON K.A.
VIANNA J. *see* D'CRUZ D.P.
VIVANCO J.L. *see* PEREZ-BLAS M.
VON BLOMBERG B.M.E. *see* VAN HOOGSTRATEN I.M.W.
VREEBURG K.J.J. *see* VAN HOOGSTRATEN I.M.W.
VUILLIER F., SCOTT-ALGARA D., TORTEVOYE P., PIALOUX G. & DIGHIERO G. Serial study of $CD5^+$ and $CD5^-$ B cell subpopulations in 335 HIV seropositive patients, 476

WACHSMANN D. *see* ACKERMANS F.
WALKER F. *see* WRIGHTHAM M.
WALKER-SMITH J.A. *see* SPENCER J.

WALSH L.P. *see* MCCULLOCH P.
WEBER C. *see* BECKER H.
WEBSTER A.D.B. *see* NORTH M.E.
WHITING P.H. *see* DUNCAN J.I.
WHYTE A. *see* MATTSSON R.
WILKINSON J.D. *see* VAN HOOGSTRATEN I.M.W.
WINKLER T.H., JAHN S. & KALDEN J.R. IgG human monoclonal anti-DNA autoantibodies from patients with systemic lupus erythamatosus, 379
WITZ I.P. *see* STEIN R.
WOOTTON A.M. *see* BYRON K.A.
WRIGHTHAM M., SCHIMPF A., PENNINGTON T.H., WALKER F. & SEWELL H.F. HIV induces modulation of functionally important cellular antigens, 75

XIE Y. ZALOOM & J. *see* MCCULLOCH P.

YACHI A. *see* TSUJIKSAKI M.
YAMAGUCHI F. *see* KOHNO Y.
YAMAGUCHI K. *see* MATSUMOTO T.
YAMAGUCHI N. *see* KOYAMA A.
YAMANAKA M. *see* IKEDA Y.
YASUKAWA M. *see* MATSUMOTO M.
YODOI J. *see* MATSUMOTO T.
YOSHIDA A. *see* KIMATA H.
YOSHIMURA N., OKA T., AMAGAI T., HORII Y. & IMANISHI J. Interleukin-2 receptor gene expression in kidney transplant recipients treated with cyclosporin A, 326
YOSHIMURA S., GOTOH S. & KAMADA N. Immunological tolerance induced by liver grafting in the rat: splenic macrophages and T cells mediated distinct phases of immunosuppressive activity, 121
YRON I. *see* STEIN R.
YU D.T.Y., HAMACHI T., HAMACHI M. & TRIBBICK G. Analysis of the molecular mimicry between HLA-B27 and a bacterial *Omp*A protein using synthetic peptides, 510

ZERLAUTH G., EIBL M.M. & MANNHALTER J.W. Induction of anti-mycobacterial and anti-listerial activity of human monocytes requires different activation signals, 90
ZIEGLER B. *see* DOZIO N.

Subject Index

2-acetyl-4-tetrahydroxybutylimidazole, 335
$\alpha\beta$ T cell receptor, 525
AIDS, 75, 214
Acute hepatitis, 80
Allergic diseases, 288
Allergy, 70
Alveolar macrophage, 531
Anti-DNA antibodies, 246, 379
Anti-La(SS-B) antibody concentration, 402
Anti-collagen antibodies, 48
Anti-cytokine autoantibodies, 407
Anti-human IgG antibodies, 265
Anti-interferon antibodies, 80
Anti-neutrophil, 396
Antibodies, 14
Antibody production, 358
Antigen, 429
Antigen DNA, 66
Antigen mimicry, 265
Antigen specificity, 349
Antigen-presenting cells, 9
Apoptosis, 312
Autoantibodies, 80, 396, 418
Autoantibody, 459
Autoimmune diseases, 20
Autoimmune haemolytic anaemia, 33
Autoimmunity, 28, 365, 459
Autologous mixed lymphocyte reaction, 55

B cell antigens, 536
B cell function, 386
B cell precursors, 168
B cell responses, 151
Beta-casamorphin, 493
Beta-lactoglobulin antibodies, 446
Blood cell carrier function, 270
Bone marrow, 48
Bromocriptine, 41
Brown Norway rat, 28
Budesonide, 531
Burn immunosuppression, 515

CD14, 297
CD28, 424
CD34, 168
CD4/CD8 ratio, 481
$CD5^+$ B cells, 418
$CD5^+CD5^-$ B cells, 476
CD7, 75, 164
CD8 lymphocytes, 108
CD8 subpopulations, 481
$CD8^+$ T cells, 55
Cancer, 418
Candida albicans, 485
Canine diseases, 33
Carbohydrate antigens, 536
Cardiolipin, 365
cDNA, 326
Cell transfer, 464
Cell-mediated immunity, 335
Chagas heart disease, 413
Chemical carcinogenesis, 9
Chemiluminescence, 436
Children, 446
Chimera, 358
Chinese, 202
Chronic inflammation, 407
Chronic lymphatic leukaemia and autoimmunity, 302
Chronic thyroiditis, 459
Circulating ICAM-1 in sera, 3
Circulatory antigen, 469
Coeliac disease, 109, 446
Collagen arthritis, 48
Collagen type IV, 236
Collagen-induced arthritis, 41
Colony-stimulating factor, 143
Common variable immunodeficiency, 198
Comparative immunology, 464
Complement, 270
Complement receptor 1 (CD35), 373
Contact dermatitis, 441
Core, 219
Corticosteroid, 531
Cow's milk protein intolerance, 446
Crohn's colitis, 504
Cross-reaction, 219
Cross-reactive idiotype, 20
Cutaneous immunity, 9
Cyclophosphamide, 464
Cyclosporin A, 28, 114, 293, 326
Cytokine receptor expression, 240
Cytokines, 90, 157
Cytomegalovirus, 209
Cytoplasm, 396
Cytotoxic lymphocytes, 317
Cytotoxicity, 525

DBA/1 mice, 41
DNA-bound immunoglobulins, 246
Delayed type hypersensitivity, 231, 519
Dendritic cells, 349
Differentiation antigens, 536
Disease susceptibility, 464
Double-negative T cells, 525

Electron dense deposits, 469
Endothelial cells, 14, 128
Endothelium, 254
Eosinophils, 312
Epithelial antigens, 536
Epitope, 459
Epitope mapping, 510
Epstein–Barr virus, 209
Erythrocyte, 373
Erythrocyte autoantigens, 33
Erythropoietin, 151
Escherichia coli lac Z, 66
European bat lyssavirus, 224

FACS analysis, 168
False-positive, 219
Fcε receptor, 61
Flow cytometry, 481

gag, 219
$\gamma\delta$ T cells, 109
$\gamma\delta$ lymphocytes, 498
GM-CSF, 312
Glomerular basement membrane, 28
Glomerulonephritis, 28
Goodpasture antigen, 236

Granuloma, 214
Growth, 157

HIV, 75, 209
HIV infection, 476, 481, 485
HLA, 262
HLA-B27, 510
HLA-DR, 75
Hairy cell leukaemia, 429
Heavy chains, 282
Helper function, 525
Heymann nephritis, 469
Histology of skin, 70
Hodgkin's disease, 436
Human B cells, 174
Human T cell lines, 349
Human monoclonal antibodies, 379
Human monocytes, anti-bacterial activity of, 90
Humoral immunodeficiency, 193
Hybridization, 66
Hypereosinophilia, 312

ICAM-1, 3
IL-1, 137, 331
IL-1 inhibitors, 137, 407
IL-2, 515, 519
IL-2 receptor, 164, 293, 326, 515
IL-3, 312
IL-4, 61, 288, 307
IL-5, 312
IL-6, 137, 302, 331
IgA, 128
IgA nephropathy, 240
IgA-secreting cells, 341
IgA1, 341
IgA2, 341
IgE, 307
IgE-binding factors, 288
IgG autoantibodies, 379
IgG3, 193
Immediate hypersensitivity, 70
Immune adherence, 373
Immune complexes, 66, 270, 373
Immune elimination, 373
Immune responses, 485
Immune tolerance, 441
Immunoadsorbents, 349
Immunodominant autoepitopes, 402
Immunofluorescence, 70
Immunoglobulin, 262
Immunoglobulin treatment, 193
Immunohistochemistry, 214, 429
Immunoprecipitation, 33
Immunosuppression, 121, 174
Immunosuppression, viral, 209
Immunosuppressors, 335
In vivo therapy, 317
Inflammatory bowel disease, 498, 504
Insulin antibodies, 282
Insulin immune hypoglycaemic syndrome, 282
Interferon, 80
Interferon-gamma, 240, 307
Interleukin-1, 143
Interleukin-2, 143
Interleukins, 240
Intraepithelial lymphocytes, 109
Ionomycin, 198
Ischaemic colitis, 504

Japanese encephalitis virus, 85

Kupffer cells, 128

LAK cells, 317
LFA-1, 75, 202
Lamina propria lymphocytes, 493, 498
Late-phase reaction, 70
Latent infection, 85
Leishmania mexicana, 231
Lepra, 214
Leu8 antigen, 55
Leucocyte antigens, 536
Light chains, 282
Lipopolysaccharide, 297
Liposomes, 128
Listeria monocytogenes, 90
Lupus, 392
Lupus nephritis, 246, 254
Lymphocyte impairing, 481
Lymphocyte proliferation, 164, 231
Lymphocyte subsets, 278
Lymphocytes, 224
Lymphoid, 392
Lymphokine-activated killer cells, 519
Lymphokines, 157
Lymphopenia, 335
Lymphoproliferative responses, 98

Mac-1, 202
Macrophages, 504
Malignant disease, 3
Man, 441
Mannoproteins, 485
Membranous nephropathy, 469
Memory T cells, 202
Mesangial, 157
Milk peptides, 493
Mixed lymphocyte reaction, 121
Molecular mimicry, 413, 510
Monoclonal antibodies, 246, 429
Monocytes, 61, 143, 331, 436
Monomeric IgA, 341
Mononuclear phagocyte function, 270
mRNA, 326
Mucosal immunology, 493
Mycobacterium avium intracellulare, 90
Mycobacterium scrofulaceum, 214
Myelin, 365

NZB mice, 231
Natural killer cells, 335
Neutralizing antibodies, 224
Neutrophils, 14, 396
Nickel allergy, 441
Non-collagenous domain, 236

Oestrogen, 41
Ontogeny, 168
Oral route, 441

PUVA, 293
Partial hepatectomy, 114
Peripheral blood mononuclear cells, 240
Phagocytosis, 436
Phenotype, 531
Phorbol ester, 198
Pigeon IgA, 453
Pigeon breeders' lung, 453
Pigeon intestinal mucin, 453
Plaque-forming cells, 202
Polymerase chain reaction, 236
Polymeric IgA, 341
Polymorphonuclear leukocytes, 436
Polytrauma, 297
Post-partum period, 41
Proliferation, 424
Prostaglandins, 9
Protective immunity, 231

Protein antibody, 413
Protein kinase C, 198
Proteinuria, 469
Protozoan infections, 413
Pulmonary inflammation, 392

Q fever antigens and fractions, 98
Quinolone, 331

Rabies, 224
Rat liver transplantation, 114, 121
Receptors, 307
Recurrence, 85
Respiratory syncytial virus, 358
Rheumatic diseases, 61, 265
Rheumatoid arthritis, 55, 407

SCID mice, 358
SLE, 365
SR protein, 265
Secretion, 302
Seminal plasma, 174
Sepsis, 297
Serum class I antigen, 114
Serum-free medium, 151
Severe lung disease, 193
Sialyl oligosaccharides, 536
Signal transduction, 396, 424
Sjögren's syndrome, 262
Soluble IL-2 receptor, 288
Species specificity, 282
Spleen, 48
Splenic macrophages, 121
Streptozotocin, 464
Subclass deficiency, 193
Suppression, 48
Suppressor cells, 164
Surgery, 137
Systemic lupus erythamatosus, 66, 373, 379, 386, 413
Systemic vasculitis, 396

T cell activation, 515
T cell activation cascade, 55
T cell receptor genes, 262
T cell receptors, 109
T cells, 164, 198
T lymphocytes, 85, 424
Thrombocytopenia, 424
Thyroid peroxidase, 459
Tolerance, 121
Tonsillar cells, 358
Transcription, 392
Trypanosoma cruzi, 413
Tumour necrosis factor, 137, 143, 331, 386, 392
Type 1 diabetes, 278

Ulcerative colitis, 504

Vasculitis, 14, 254
Viral hepatitis, 80

Wegener's granulomatosis, 396